



DRIVE ALIVE

THE NEW PAJERO

CHOOSING THE EQUIPMENT LEVEL

INVITE 3-DOOR/5-DOOR



INTENSE 3-DOOR/5-DOOR



INSTYLE 3-DOOR/5-DOOR



CHOOSING THE EQUIPMENT LEVEL



KEY FEATURES INVITE

- Anthracite/Aluminium print interior panels
- Dark Grey Fabric seats
- Dual stage front airbags; side and curtain airbags
- 17" alloy wheels (x5)
- Radio with CD/MP3 player
- Active Stability and Traction Control (ASTC)
- Rear differential lock



KEY FEATURES INTENSE

- Metallic/Aluminium print interior panels
- Black Fabric seats
- Black Leather seats with seat heating (optional)
- Dual stage front airbags; side and curtain airbags
- 18" alloy wheels 6-spoke design (x5)
- Radio with CD/MP3 player and 6 CD changer
- Active Stability and Traction Control (ASTC)
- Rear differential lock
- Rockford Acoustic Design™ premium audio with 860W and 12 speakers (optional for 5-door only)
- Remote control for audio and cruise control on steering wheel
- Third row seat with Hide & Seat functionality (5-door only)
- Rear manual air conditioning (5-door only)
- Xenon headlamps



KEY FEATURES INSTYLE

- Wood/Aluminium print interior panels
- Black or Beige Leather (5-door only) seats with seat heating
- Dual stage front airbags; side and curtain airbags
- 18" alloy wheels 10-spoke design (x5)
- Active Stability and Traction Control (ASTC)
- Rear differential lock
- Rockford Acoustic Design™ premium audio with 860W and 12 speakers (5-door only)
- Remote control for audio and cruise control on steering wheel
- Third row seat with Hide & Seat functionality (5-door only)
- Rear manual air conditioning (5-door only)
- Xenon headlamps
- Electronic sunroof
- HDD navigation system with music server function
- Rear view camera



CHOOSING THE EXTERIOR COLOUR AND SEAT MATERIAL



KNIGHT BLACK (P)



GRAPHITE GREY (P)



THUNDER BLUE (P)



FAIRWAY GREEN (P)

Model	3-DOOR			5-DOOR		
	INVITE	INTENSE	INSTYLE	INVITE	INTENSE	INSTYLE
Seats	Dark Grey Fabric	Black Fabric or optional Black Leather	Black Leather	Dark Grey Fabric	Black Fabric or optional Black Leather	Black or Beige Leather
Interior Panel	Anthracite/Aluminium	Metallic/Aluminium	Wood/Aluminium	Anthracite/Aluminium	Metallic/Aluminium	Wood/Aluminium
Exterior Colour						
1 Knight Black (P) X24	■	■	■	■	■	■
2 Graphite Grey (P) A72	■	■	■	■	■	■
3 Thunder Blue (P) T65	■	■	■	■	■	■
4 Fairway Green (P) F15	■	■	■	■	■	■
5 Summit White (S) W09	■	■	■	■	■	■
6 Sterling Silver (M) A19	■	■	■	■	■	■
7 Dune Beige (M) S18	■	■	■	■	■	■
8 Orient Red (M) P26	–	■	–	–	■	–

■ Standard – Not available

(S) Solid (M) Metallic (P) Mica/Pearl
The colours and materials shown are approximate and may differ slightly from the actual colours.

CHOOSING THE EXTERIOR COLOUR AND SEAT MATERIAL



SUMMIT WHITE (S)



STERLING SILVER (M)



DUNE BEIGE (M)



ORIENT RED (M)



- 1 Dark Grey Fabric
- 2 Black Fabric
- 3 Black Leather
- 4 Beige Leather

- 5 Black Leather seat
- 6 Beige Leather seat
- 7 Dark Grey Fabric interior
- 8 Black Fabric interior

STANDARD AND OPTIONAL EQUIPMENT

■ Standard ○ Optional – Not available

Model		3-DOOR			5-DOOR		
		INVITE	INTENSE	INSTYLE	INVITE	INTENSE	INSTYLE
Safety and Security	Multi-mode Anti-lock Braking System (ABS), Electronic Brake-force Distribution (EBD) and hydraulic brake booster	■	■	■	■	■	■
	Active Stability and Traction Control (ASTC)	■	■	■	■	■	■
	Electronic immobiliser	■	■	■	■	■	■
	Driver's and front passenger's dual stage SRS front airbags (with cut-off switch for passenger)	■	■	■	■	■	■
	Driver's and front passenger's SRS side airbags	■	■	■	■	■	■
	Curtain airbags for first and second row	■	■	■	■	■	■
	Front 3-point ELR seatbelt with force-limiter and pretentioner x2	■	■	■	■	■	■
	Height and tilt-adjustable front seatbelt anchors	■	■	■	■	■	■
	Second row 3-point ELR seatbelt x3	■	■	■	■	■	■
	Third row 3-point ELR seatbelt x2	–	–	–	–	■	■
	Seat belt warning buzzer	■	■	■	■	■	■
	Child protection rear door locks	–	–	–	■	■	■
	Tether anchors for ISO-FIX child seat (for second row seat)	■	■	■	■	■	■
Exterior	Side Garnish Package (colour-keyed side door garnish, colour-keyed wheel lip moulding, black side sill garnish)	■	■	■	■	■	■
	17" x 7.5JJ light alloy wheels with 265/65R17 tyres and aluminium rim spare tyre	■	–	–	■	–	–
	18" x 7.5JJ (6-spoke) light alloy wheels with 265/60R18 tyres and aluminium rim spare tyre	–	■	–	–	■	–
	18" x 7.5JJ (10-spoke) light alloy wheels with 265/60R18 tyres and aluminium rim spare tyre	–	–	■	–	–	■
	Dark grey spare tyre cover	■	–	–	■	–	–
	Colour-keyed spare tyre cover	–	■	■	–	■	■
	Black front grille	■	–	–	■	–	–
	Chrome front grille	–	■	■	–	■	■
	Black outer door handles	■	–	–	■	–	–
	Colour-keyed outer door handles	–	■	■	–	■	■
	Colour-keyed front and rear bumper	■	■	■	■	■	■
	Black front skid plate and rear bumper centre cover	■	–	–	■	–	–
	Silver front skid plate and rear bumper centre cover	–	■	■	–	■	■
	Front and rear mud guards	■	■	■	■	■	■
	Black electronically controlled door mirrors with defoggers and folding function	■	–	–	■	–	–
	Colour-keyed electronically controlled door mirrors with defoggers and folding function	–	■	■	–	■	■
	Side indicator lights and approach lamps in door mirrors	–	■	■	–	■	■
	Colour-keyed tailgate air deflector	–	■	–	–	■	–
	Silver roof rails	–	■	■	–	■	■
Interior	Luxury Interior Package (metallic power window panel and inner door handle, extendable sunvisor with vanity mirror/illumination and auto dimming rear view mirror)	–	■	■	–	■	■
	Leather wrapped gear shift knob	–	■	■	–	■	■
	Front, mid and rear accessory socket	■	■	■	■	■	■
	Accessory socket inside floor console box	■	■	■	■	■	■
	Floor console box with slide-adjustable centre armrest	■	■	■	■	■	■
	Front door pockets	■	■	■	■	■	■
	Driver's and front passenger's sunvisor with vanity mirror and ticket holder	■	–	–	■	–	–
	Driver's and front passenger's extendable sunvisor with vanity mirror, ticket holder and illumination	–	■	■	–	■	■
	Cargo room						
	Cargo room hook x4	■	■	■	■	■	■
	Side compartment	■	■	■	■	■	■
	Underfloor compartment	■	■	■	■	■	■
	Tonneau cover	■	■	■	■	■	■
	Interior lighting						
	Front room and map lamps	■	■	■	■	■	■
	Second row passengers' personal lamps	■	■	■	■	■	■
	Cargo room lamp	■	■	■	■	■	■
	Front door courtesy lamps	■	■	■	–	–	–
	Front and rear door courtesy lamps	–	–	–	■	■	■

STANDARD AND OPTIONAL EQUIPMENT

■ Standard ○ Optional – Not available

Model		3-DOOR			5-DOOR		
		INVITE	INTENSE	INSTYLE	INVITE	INTENSE	INSTYLE
Interior	4-spoke urethane steering wheel	■	–	–	■	–	–
	4-spoke leather steering wheel with remote control for audio and cruise control	–	■	■	–	■	■
	Illuminated ignition key cylinder with time-delay function	■	■	■	■	■	■
	Rheostat (adjustable dashboard light)	■	■	■	■	■	■
	Centre display (time, date, audio, compass, outside temperature, altimeter, barometer, average speed, fuel consumption and remaining travel distance)	■	■	■	■	■	■
	Lockable lower glove box	■	■	■	■	■	■
	Aluminium pedals	–	■	–	–	■	–
Comfort	Power steering with tilt-adjustable steering column	■	■	■	■	■	■
	Cruise control	–	■	■	–	■	■
	Keyless entry system (2 transmitters)	■	■	■	■	■	■
	Central door locking system (including tailgate lock)	■	■	■	■	■	■
	Anti-trapping power windows	■	■	■	■	■	■
	All doors auto up-down with key-off timer	■	■	■	■	■	■
	Electronically controlled tilt and sliding anti-trapping sunroof (privacy glass type) (deletion of sunglass pocket)	–	–	■	–	–	■
	Front automatic air-conditioner	■	■	■	■	■	■
	Rear manual air-conditioner	–	–	–	–	■	■
Audio and Communication	Rear parking sensors (available as accessory)	○	○	○	○	○	○
	Rockford Acoustic Design™ premium audio with 860W and 12-speakers	–	–	–	–	○	■
	LM/MW/FM, MP3, CD player	■	–	–	■	–	–
	LM/MW/FM, MP3, CD player and 6 CD changer	–	■	–	–	■	–
	AVN type HDD navigation system and rear view camera	–	–	■	–	–	■
Seats	Rear seat entertainment system (DVD, 9") (available as accessory)	–	–	–	○	○	–
	Leather seats with driver's 5-way power seat and front seat heating	–	○	■	–	–	–
	Leather seats with driver's 5-way power seat, passenger's 4-way power seat and front seat heating	–	–	–	–	○	■
	Front seats						
	Luxury type separate seats	■	■	■	■	■	■
	Reclining seat adjuster	■	■	■	■	■	■
	Seat back pocket (driver and passenger)	■	■	■	■	■	■
	Height and tilt-adjustable headrests x2	■	■	■	■	■	■
	Adjustable centre armrest with two cup holders	■	■	■	■	■	■
	LED foot light (driver and passenger)	■	■	■	■	■	■
	Second row seats						
	3:2 split seat	■	■	■	■	■	■
	Reclining adjusters	■	■	■	■	■	■
	Tumble type fold-up functions	■	■	■	■	■	■
	Height adjustable headrests x3	■	■	■	■	■	■
	Centre armrests with two cup holders	■	■	■	■	■	■
	Second row LED foot light	■	■	■	■	■	■
	Third row seats						
Light and Visibility	Hide & Seat removable bench seat	–	–	–	–	■	■
	Headrests x2	–	–	–	–	■	■
	Day/night rear view mirror	■	–	–	■	–	–
	Auto dimming rear view mirror	–	■	■	–	■	■
	Halogen headlamps (clear lens)	■	–	–	■	–	–
	Xenon headlamps with auto levelling (clear lens)	–	■	■	–	■	■
	Headlamp washers	–	■	■	–	■	■
	Front fog lamps	–	■	■	–	■	■
	Windshield shade band	■	■	■	■	■	■
	Windshield wiper de-icers	–	■	■	–	■	■
	Privacy glass (rear side (5-door), quarter and tailgate)	–	■	■	–	■	■
	2-speed variable intermittent windshield wipers and washers	■	■	■	■	■	■
	Rear intermittent windshield wiper and washer	■	■	■	■	■	■
	Room lamp with map lamp and sunglass pocket	■	■	■	■	■	■
	Second row personal lamp	■	■	■	■	■	■


STANDARD AND OPTIONAL EQUIPMENT

■ Standard ○ Optional – Not available


Model		3-DOOR			5-DOOR		
		INVITE	INTENSE	INSTYLE	INVITE	INTENSE	INSTYLE
Light and Visibility	LED ceiling lamp	■	■	■	■	■	■
Off-road Driving	Super Select 4WD system (SS4-II)	■	■	■	■	■	■
	Central differential lock	■	■	■	■	■	■
	Rear differential lock	■	■	■	■	■	■
Interior Packages	Anthracite/Aluminum print interior decoration panel	■	–	–	■	–	–
	Metallic/Aluminum print interior decoration panel	–	■	–	–	■	–
	Wood/Aluminum print interior decoration panel	–	–	■	–	–	■

DIMENSIONAL VIEWS

3-DOOR



5-DOOR



All measurements in millimetres

EQUIPMENT HIGHLIGHTS



- 1 Power window panel
- 2 Floor console box with slide-adjustable centre armrest
- 3 Side indicator lights and approach lamps in door mirrors
- 4 Auto dimming rear view mirror
- 5 Illuminated ignition key cylinder with time-delay function
- 6 Side steps
- 7 Electronic sunroof (tilt and sliding function)
- 8 18" alloy wheel (6-spoke)
- 9 18" alloy wheel (10-spoke)

TECHNICAL SPECIFICATIONS 3-DOOR

Model		3.2 litre DI-D 5 Speed Manual			3.2 litre DI-D 5 Speed Automatic			3.8 litre MIVEC 5 Speed Automatic
		INVITE	INTENSE	INSTYLE	INVITE	INTENSE	INSTYLE	INSTYLE
Engine Type		DOHC 16-valve in-line 4-cylinder, Diesel, Intercooled Turbocharged			DOHC 16-valve in-line 4-cylinder, Diesel, Intercooled Turbocharged			SOHC 24-valve V6
Total displacement	cc	3200	3200	3200	3200	3200	3200	3828
Injection system		Electronic Common-Rail Direct Injection with centrally mounted injection valves			Electronic Common-Rail Direct Injection with centrally mounted injection valves			Electronic Multi-Point Fuel Injection
Emission level		Euro-4			Euro-4			Euro-4
Emission control system		Oxidation catalytic converter			Oxidation catalytic converter + closed flow DPF (Diesel Particulate Filter)			Oxidation catalytic converter
Max. output (EEC net)	kW (Hp)/rpm	118 (160)/3800			125 (170)/3800			183 (249)/6000
Max. torque (EEC net)		381/2000			373/2000			329/2750
	Nm/rpm							
Fuel System								
Fuel supply equipment		Common-Rail Direct Injection			Common-Rail Direct Injection			Sequential Electronic Fuel Injection(SEFI)
Fuel type (octane)		Diesel			Diesel			Unleaded(RON95)
Fuel tank capacity	lit	69	69	69	69	69	69	69
Transmission								
Clutch		Single, dry plate with hydraulic actuation			Torque converter			Torque converter
Gear ratio								
1st		4.234	4.234	4.234	3.789	3.789	3.789	3.789
2nd		2.238	2.238	2.238	2.057	2.057	2.057	2.057
3rd		1.398	1.398	1.398	1.421	1.421	1.421	1.421
4th		1.000	1.000	1.000	1.000	1.000	1.000	1.000
5th		0.761	0.761	0.761	0.731	0.731	0.731	0.731
Reverse		3.553	3.553	3.553	3.865	3.865	3.865	3.865
Final		4.100	4.100	4.100	3.917	3.917	3.917	4.300
Transfer gear ratio								
High		1.000	1.000	1.000	1.000	1.000	1.000	1.000
Low		1.900	1.900	1.900	1.900	1.900	1.900	1.900
Performance								
Acceleration (0-100km/h)	sec	12.1	12.1	12.1	13.2	13.2	13.2	10.0
Max. speed*	km/h	177	177	177	177	177	177	200
Fuel consumption** (lit./100km)								
Urban		11.4	11.4	11.4	13.1	13.1	13.1	17.6
Extra urban		7.9	7.9	7.9	9.0	9.0	9.0	11.2
Combined		9.2	9.2	9.2	10.5	10.5	10.5	13.4
CO ₂ , combined	g/km	244	244	244	278	278	278	322
Towing capacity								
With brake	kg	2800	2800	2800	2800	2800	2800	2800
Without brake	kg	750	750	750	750	750	750	750
Approach angle		36.7°	36.7°	36.7°	36.7°	36.7°	36.7°	36.7°
Ramp break-over angle		25.2°	25.2°	25.2°	25.2°	25.2°	25.2°	25.2°
Departure angle		34.8°	34.8°	34.8°	34.8°	34.8°	34.8°	34.8°
Max axle travel								
Front	mm	220	220	220	220	220	220	220
Rear	mm	260	260	260	260	260	260	260
Suspensions								
Front		Double wishbone coil springs with stabiliser bar						
Rear		Multi-link coil springs with stabiliser bar						
Brakes								
Front		16" ventilated discs, 2-pot (disc diameter: 290mm)						
Rear		16" ventilated drum-in-discs (disc diameter: 300mm)						
Steering Type		Rack-and-pinion (power-assisted)						
Dimensions and Loads								
Kerb weight	kg	2085	2085	2130	2075	2075	2120	2035
Gross vehicle weight	kg	2665	2665	2665	2665	2665	2665	2530
Max roof load	kg	100	100	100	100	100	100	100

*Measured by Mitsubishi Motors Corporation ** Fuel consumption and CO₂ values vary depending on equipment level

TECHNICAL SPECIFICATIONS 5-DOOR

Model		3.2 litre DI-D 5 Speed Manual			3.2 litre DI-D 5 Speed Automatic			3.8 litre MIVEC 5 Speed Automatic
		INVITE	INTENSE	INSTYLE	INVITE	INTENSE	INSTYLE	INSTYLE
Engine Type		DOHC 16-valve in-line 4-cylinder, Diesel, Intercooled Turbocharged			DOHC 16-valve in-line 4-cylinder, Diesel, Intercooled Turbocharged			SOHC 24-valve V6
Total displacement	cc	3200	3200	3200	3200	3200	3200	3828
Injection system		Electronic Common-Rail Direct Injection with centrally mounted injection valves			Electronic Common-Rail Direct Injection with centrally mounted injection valves			Electronic Multi-Point Fuel Injection
Emission level		Euro-4			Euro-4			Euro-4
Emission control system		Oxidation catalytic converter			Oxidation catalytic converter + closed flow DPF (Diesel Particulate Filter)			Oxidation catalytic converter
Max. output (EEC net)	kW (Hp)/rpm	118 (160)/3800			125 (170)/3800			184 (250)/6000
Max. torque (EEC net)		381/2000			373/2000			329/2750
	Nm/rpm							
Fuel System								
Fuel supply equipment		Common-Rail Direct Injection			Common-Rail Direct Injection			Sequential Electronic Fuel Injection(SEFI)
Fuel type (octane)		Diesel			Diesel			Unleaded(RON95)
Fuel tank capacity	lit	88	88	88	88	88	88	88
Transmission								
Clutch		Single, dry plate with hydraulic actuation			Torque converter			Torque converter
Gear ratio								
1st		4.234	4.234	4.234	3.789	3.789	3.789	3.789
2nd		2.238	2.238	2.238	2.057	2.057	2.057	2.057
3rd		1.398	1.398	1.398	1.421	1.421	1.421	1.421
4th		1.000	1.000	1.000	1.000	1.000	1.000	1.000
5th		0.761	0.761	0.761	0.731	0.731	0.731	0.731
Reverse		3.553	3.553	3.553	3.865	3.865	3.865	3.865
Final		4.100	4.100	4.100	3.917	3.917	3.917	4.300
Transfer gear ratio								
High		1.000	1.000	1.000	1.000	1.000	1.000	1.000
Low		1.900	1.900	1.900	1.900	1.900	1.900	1.900
Performance								
Acceleration (0-100km/h)	sec	12.2	12.2	12.2	14.0	14.0	14.0	10.8
Max. speed*	km/h	177	177	177	177	177	177	200
Fuel consumption** (lit./100km)								
Urban		11.5	11.5	11.5	13.1	13.1	13.1	17.7
Extra urban		8.0	8.0	8.0	9.1	9.1	9.1	11.2
Combined		9.3	9.3	9.3	10.6	10.6	10.6	13.5
CO ₂ , combined	g/km	246	246	246	280	280	280	324
Towing capacity								
With brake	kg	3300	3300	3300	3300	3300	3300	3300
Without brake	kg	750	750	750	750	750	750	750
Approach angle		36.6°	36.6°	36.6°	36.6°	36.6°	36.6°	36.6°
Ramp break-over angle		22.5°	22.5°	22.5°	22.5°	22.5°	22.5°	22.5°
Departure angle		25.0°	25.0°	25.0°	25.0°	25.0°	25.0°	25.0°
Max axle travel								
Front	mm	220	220	220	220	220	220	220
Rear	mm	260	260	260	260	260	260	260
Suspensions								
Front		Double wishbone coil springs with stabiliser bar						
Rear		Multi-link coil springs with stabiliser bar						
Brakes								
Front		17" ventilated discs, 4-pot (disc diameter: 332mm)						
Rear		17" ventilated drum-in-discs (disc diameter: 332mm)						
Steering Type		Rack-and-pinion (power-assisted)						
Dimensions and Loads								
Kerb weight	kg	2265	2265	2310	2255	2255	2300	2215
Gross vehicle weight	kg	3030	3030	3030	3030	3030	3030	2910
Max roof load	kg	100	100	100	100	100	100	100

*Measured by Mitsubishi Motors Corporation ** Fuel consumption and CO₂ values vary depending on equipment level

OUTSTANDING AFTER SALES FOR CAREFREE MOTORING

More than 2500 Mitsubishi Motors Authorised Service Points in Europe are committed to helping you wherever you are.

PROFESSIONAL SERVICING

Even new cars require regular maintenance and servicing. Not just to guarantee your mobility, but also for the safety of you and your passengers. Trained professionals using specialist diagnostic equipment and original parts at your Mitsubishi Authorised Service Point are ready to oblige. You'll be advised about the cost beforehand, so there will be no unpleasant surprises when you return to pick up your vehicle.

MITSUBISHI MOTORS GENUINE PARTS

Even the smallest technical faults can lead to accidents. Therefore, all Mitsubishi Motors genuine parts have been developed and tested to stringent quality standards. It is recommended to use Mitsubishi Motors Genuine Parts in order to maintain the safety and integrity of your vehicle and that of your passengers. Mitsubishi Motors Genuine Parts are available at all Mitsubishi Authorized Service Points. We are proud to regularly score top in After Sales quality surveys.

COMPREHENSIVE WARRANTY – OBVIOUSLY

All new Mitsubishi vehicles come standard with a comprehensive 3-year warranty up to a maximum of 100,000 km (61,000 miles), whichever comes first. The anti-corrosion perforation warranty covers rusting through for the first 12 years, depending on the model you purchase. The reliability statistics for Mitsubishi vehicles are impeccable, but in the unlikely event that you do need help, we offer MAP.



MAP – FREE BREAKDOWN ASSISTANCE

In order to demonstrate our commitment to your mobility and the faith we have in the reliability of our vehicles, you will receive a free MAP card valid for three years with your new Mitsubishi. MAP stands for

Mitsubishi Motors Assistance Package, and with the MAP card in your pocket, your mobility is guaranteed in more than 30 countries throughout Europe. Should you ever need assistance in the event of breakdown, accident, theft or vandalism – wherever you are, 24 hours a day, 7 days a week – just call the number on your card and the problem will be fixed on the spot. If it's more serious, your car will be taken to the nearest Mitsubishi dealer and you'll be offered services such as a hotel, continuation of journey, a replacement car and vehicle repatriation. And if you continue to have your vehicle serviced at a Mitsubishi Authorised Service Point after the first three years, your mobility will be guaranteed for an additional year or up to the next service interval (whichever comes first) until your vehicle is 10 years old.

DRIVESTYLE

Accessories by Mitsubishi Motors – everything's got "Drivestyle". They are the perfect products for your car's individuality. It's the style that goes with the sensation. Drivestyle is the individual enhancement of your Mitsubishi. It covers all your car care needs: from Wax Shampoo and Polish to Wheel Rim Gel, from Cockpit Lotion to Leather Treatment and from Insect Remover to Screen Wash – all have been produced using new ingredients designed specifically for your new Mitsubishi. They'll ensure it looks, feels and smells brand new for years to come.

Please ask your Mitsubishi Authorised Sales/Service point for the Drivestyle Car Care brochure containing more detailed information.

Mitsubishi Motors Europe BV • www.mitsubishi-motors-europe.com

Some equipment may vary according to market. Please consult your local Mitsubishi Motors dealer/distributor for details. All rights reserved.

RECYCLING OF OLD VEHICLES

It is our duty to protect the environment. Mitsubishi Motors designs and produces high quality vehicles and components aiming to provide its customers with durable motor vehicles, and excellent services to maintain your vehicle in an optimum running condition. We have the highest respect for the environment and use materials which may be recycled and re-used after your Mitsubishi Motors vehicle has come to the end of its economical life. After a long working life we will take your vehicle back and recycle it in an environmentally friendly manner in accordance with the EU Directive on End-of-Life Vehicles and any applicable national statutory provisions.

All Mitsubishi Motors vehicles (up to 3.5t GVW) sold after 1st July 2002, will be taken back free of charge from the last owner, at one of the designated take back points, provided the vehicle contains all major components and is free of waste. From 1st January 2007, this applies to all Mitsubishi Motors vehicles irrespective of the sold date. A network of collection points is available to receive

Mitsubishi Motors End-of-Life Vehicles, to ensure your vehicle will be recycled in an environmentally friendly manner. At the same time, the possibilities for the recycling of vehicles and vehicle components are continually being evaluated and improved, aiming to the achievement of even higher recycling percentages in the future.

The European End-of-Life Vehicles Directive and the free take back of End-of-life Vehicles is applicable in all European Union member states. The transposition of the End-of-Life Vehicles Directive into National law in each member state might not have been completed at the time of putting this publication to print.

Please refer to www.mitsubishi-motors-europe.com and select the web site of the Mitsubishi Motors service network in your country of residence, or call the National Mitsubishi Motors Customer Assistance Center for further details.